

FLOOR PLAN

MARK	SIZE	NO.	DESCRIPTION	NO.
	WIDTH HEIGHT	LIGHTS		REQ.
A	3'-4" x 6'-6"	16	Double Hung	7
B	6'-4" x 6'-6"	20	Fixed	1
C	2'-4" x 2'-11"	2	Aparting	3
D	3'-2" x 2'-11"	2	Aparting	1
E	9'-6" x 6'-8"		Attic Door	1

NOTE: ABOVE SCHEDULE IS FOR USE OF WOOD SASH. ADJUST MASONRY OPENINGS AS NECESSARY FOR SUBSTITUTIONS.

MARK	SIZE	DESCRIPTION	# REQ.
1	3'-0" x 7'-0" x 1 3/4"	Ext. - Flush Panel - Glazed	1
2	2'-8" x 7'-0" x 1 3/4"	" " " "	2
4	2'-8" x 6'-8" x 1 3/8"	Int. - Flush Panel	7
5	2'-4" x 6'-8" x 1 3/8"	" " " "	4
7	1'-6" x 7'-0" x 1"	T & G with Battens	1
8	1'-6" x 4'-0" x 1 3/8"	Int. - Glazed (Upper)	2
	1'-6" x 2'-0" x 1 3/8"	Int. - Glazed Panel (Lower)	


PROVIDE ALL CLOSETS WITH FLUSH SLIDING DOORS UNLESS OTHERWISE INDICATED

COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS


UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATIVE

3 BEDROOM FARMHOUSE


USDA 60 7242 SHEET 1 OF 3




FRONT ELEVATION




RIGHT SIDE ELEVATION



REAR ELEVATION




LEFT SIDE ELEVATION



FOUNDATION PLAN

- NOTES:
1. ALL FOOTINGS TO EXTEND TO SOLID BEARING BELOW FROST LINE.
 2. POISON SOIL AT WALLS IN TERRACE INFESTED AREAS.




FRAMING PLAN

COOPERATIVE EXTENSION SERVICE
 AGRICULTURE AND HOME ECONOMICS

UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING
 AND

3 BEDROOM FARMHOUSE

USDA 60 7242 SHEET 2 OF 3



CROSS SECTION A-A



NOTE: PROVIDE FACILITIES AS NECESSARY FOR TYPE OF HEATING SYSTEM TO BE INSTALLED PRIOR TO POURING FLOOR SLAB.

NOTE: PROVIDE COMMERCIAL PLATING ANCHORS AT RAFTER-PLATE CONNECTIONS.

CONSTRUCTION CHECK LIST

1. CHECK LOCAL BUILDING CODE & LOAN COMPANY CRITERIA. (RAFTERS MEET 20 LB/FT SNOW LOAD CRITERIA).
2. ADEQUATELY NAIL AND ANCHOR JOINTS.
3. SHEATH WITH 1/2" PLYWOOD OR HIGH DENSITY FIBERBOARD OR USE DIAGONAL BRACING IN CORNERS.
4. USE EXTERIOR GRADED PLYWOOD WHEREVER IT MAY BE MET-TED DURING OR AFTER CONSTRUCTION.
5. PRESSURE TREAT ALL WOOD WITH GROUND CONTACT AND PRO-VIDE OTHER NEEDED TERMITIC CONTROL.
6. R VALUES DEPEND ON LOCAL CLIMATE AND FUEL COST.
7. PROVIDE 1 SQ. FT. OF ATTIC VENT OPENINGS FOR EACH 150 SQ. FT. OF CEILING.
8. WEATHERIZE ALL OPENINGS AND JOINTS.

COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS

UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING

3 BEDROOM FARMHOUSE

USDA 60 7242 SHEET 3 OF 3